



# जवाहरलाल नेहरू पोर्ट ट्रस्ट JAWAHARLAL NEHRU PORT TRUST

पत्तन कार्यालय : प्रशासन भवन, शेवा, तालुका-उरण, नवी मुंबई - 400 707

Port Office : ADMINISTRATION BLDG., SHEVA, TALUKA - URAN, NAVI MUMBAI - 400 707.

मुख्य प्रबंधक (प्रशासन) Chief Manager (Oprn.)-(022) 2724 2218, मुख्य प्रबंधक (प्रशासन) Chief Manager (Admn.)-(022) 2724 2233,  
मुख्य प्रबंधक (वित्त) Chief Manager (Fin.)-(022) 2724 2241, मुख्य प्रबंधक (प.पो.वि.) Chief Manager (PPD)-(022) 27242326,  
अ-संरक्षक Dy.Conservator-(022) 2724 2301



Website : www.jnport.gov.in  
E-mail : info@jnport.gov.in

Ref No: JNP/M(MCB)/2012/C1429

Date : 04.10.2012

To:  
M/s. Sima Marine (India) Pvt Ltd.,  
Ground Floor, Sai Commercial Annexe,  
Govandi(E),  
Mumbai - 400 088  
Fax No: 22226733

Sub: Affixing of Bottle Seals while landing of import containers and verification of Bottle Seals at the time of departure at JNPCT Gates

Sir,

This has reference to our Circular No. JNP/SM(O)/Bottle Seal/2010/2121 dated 27.09.2010. Of-late, it is observed that the number of corrections in the Bottle Seals is on the increasing side. Since Port is not involved at all in the sealing activity, you are hereby advised to ensure that all Import containers bound for JNPCT arrive with Bottle Seal only (in accordance with the declaration made in the Import Advance List) as per the requirement of the Customs.

It is now observed that M.V. HONOUR ( VIA C1429 ) which sailed on 04/10/2012 at 01:10hrs discharged 1305 number of loaded Import containers bound to different destinations by various modes. Out of 1305 loaded Import boxes, as per the records submitted by your Agency and your Co-Agencies, 36 numbers of Bottle seals were affixed subsequent to landing of loaded Import containers at JNPCT.

Therefore, to avoid any discrepancy (Bottle Seal declaration made in the Import Advance List and affixing of fresh Bottle Seal subsequent to landing at JNPCT) as far as the seal is concerned in which we have no role, you are hereby advised to ensure that all containers at the load Ports en-route are loaded on board with Bottle Seals only.

In case of difficulty of Bottle Seals at load Ports, you may make necessary arrangements to supply sufficient number of Bottle Seals well in advance to ensure that no Import container land here at JNPCT without Bottle Seal.

Thanking you,

Yours faithfully,

Dy. Manager (MCB)

c.c. to : Asst. Manager ( Planning ) : For necessary follow-up with concerned Agency.



# जवाहरलाल नेहरू पत्तन न्यास JAWAHARLAL NEHRU PORT TRUST

पत्तन कार्यालय : प्रशासन भवन, शेवा, रायपुरा, नवी मुंबई - 400 707

Port Office : ADMINISTRATION BLDG : SHEVA, TALUKA - URAN, NAVI MUMBAI - 400 707.

मुख्य प्रबंधक (प्रशासन) Chief Manager (Admin) (022) 2724 2218; मुख्य प्रबंधक (प्रशासन) Chief Manager (Admin) (022) 2724 2233;  
मुख्य प्रबंधक (वित्त) Chief Manager (Fin) (022) 2724 2241; मुख्य प्रबंधक (पे को सि) Chief Manager (PPD) (022) 27242326;  
उप-संरक्षक Dy Conservator (022) 2724 2301



Website : www.jnport.gov.in  
E-mail : info@jnport.gov.in

**By Speed Post**

Ref No: JNP/M(MCB)/2012 / 1901

December 3, 2012

1. The President,  
Mumbai and Nhava Sheva Ship-  
Agents Association,  
901, Arcadia Building, 9<sup>th</sup> floor,  
N.C.P.A. Marg,  
195, Nariman Point,  
Mumbai- 400 021

2. The Chairman  
Container Shipping Lines Association (India)  
C/o Bombay Chamber of Commerce &  
Industry  
Third floor, Mackinnon Mackenzie Building,  
Shoorji Vallabhdas Marg,  
Ballard Estate  
Mumbai 400 001.

**Sub: Affixing of Bottle Seals while landing of import containers and verification of Bottle Seals at the time of departure at JNPCT Gates.**

Dear Sir/s,

Further to our letter no. : JNP/M(MCB)/2012/1834 dated 23.11.2012 the factual status on affixing of bottle seals while landing of import containers and verification of Bottle Seals at the time of departure at JNPCT Gates for the month of November 2012 is as follows :


Total Loaded Import ctrs. Discharged	Seals changed along side jetty till sailing of the vessel (A)		Seals changed subsequent to sailing and prior to delivery of ctrs. (B)		Total Seals changed (A+B)	
	No. of ctrs.	% w.r.t total Import discharge	No. of ctrs.	% w.r.t total Import discharge.	No. of ctrs.	% w.r.t total Import discharge
32,432	1,485	4.58%	1,104	3.40%	2,589	7.98%

2.0 As can be seen from the above, fresh seals are still being affixed in respect of 7.98% of laden import containers landing at JNPCT inspite of repeated perusal and counseling.

- 3.0 It is the basic responsibility of the concerned Vessel Operators/Shipping Lines to ensure that all import containers land at JNPCT with bottle seals only.
- 4.0 Kindly advise your members to supply adequate number of bottle seals at load ports may please be done if required to avoid affixing of bottle seals at JNPCT when the containers land with Strip Seals and Wire Seals.
- 5.0 Consequences if any, arising due to non-availability of bottle seals at the time of landing of import laden containers at JNPCT, Port can not be held responsible.

Thanking you,

Yours faithfully,

  
(Jagadish R. Patil)  
Manager (MCB)